L Number	Hits	Search Text	DB	Time stamp
6	2	("20010032237").PN.	USPAT; US-PGPUB; EPO; JPO;	2004/06/08 13:01
7	19	@ad<20000105 and setup near information and internet adj server and internet	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:05
8	1905	@ad<20000105 and 709/203.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:05
9	81	@ad<20000105 and 709/203.ccls. and setup\$ with server	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:06
10	71	@ad<20000105 and 709/203.ccls. and setup\$ with server and internet	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:06
11	25	@ad<20000105 and 709/203.ccls. and setup\$ with server and internet and ip and host and domain	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:29
12	10	bruckart	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:09
13	75	@ad<20000105 and setup same (hub or router or switch) same client	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:29
15	50	<pre>@ad<20000105 and setup same (hub or router or switch) same client and internet</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:29
14	9	@ad<20000105 and setup same (hub or router or switch) same client and password	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:30
16	18	@ad<20000105 and (setup or configure) same (hub or router) same client and address and host and domain	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:41
17	322	@ad<20000105 and (setup or configure) same (proxy or hub or router) and client and internet same connection\$	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08
18	320	@ad<20000105 and (setup or configure) same (proxy or hub or router) and client and internet same connection\$ and serve\$	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 13:42
20	24	<pre>@ad<20000105 and (setup or configure) same (proxy or hub or router) and client and internet same connection\$ and serve\$ and (address and domain and host) same client and password</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08 13:42

Page 1

Search History 6/8/04 5:45:53 PM

		•		
19	39	<pre>@ad<20000105 and (setup or configure) same (proxy or hub or router) and client and internet same connection\$ and serve\$ and (address and domain and host) same</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 14:02
21	153	client @ad<20000105 and (setup or configure)	IBM_TDB USPAT;	2004/06/08
		same (proxy or hub or router) same client	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	14:03
22	44	<pre>@ad<20000105 and (setup or configure) same (proxy or hub or router) same client and internet near access\$</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08
23	331	<pre>@ad<20000105 and (proxy or hub or router) with (settings or configuration\$) and client with (settings or configuration\$)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08 14:21
24	199	<pre>@ad<20000105 and (proxy or hub or router) with (settings or configuration\$) same client with (settings or configuration\$)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08
25	163	<pre>@ad<20000105 and (proxy or hub or router) with (settings or configuration\$) same client with (settings or configuration\$) and internet</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08
26	25	<pre>@ad<20000105 and (proxy or hub or router) with (settings or configuration\$) same client with (settings or configuration\$) and internet and domain near name and host and ip near address</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08 14:43
27	1392	<pre>@ad<20000105 and (proxy or hub or router) near (setup or settings or configuration\$)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08 14:43
28	309	<pre>@ad<20000105 and (proxy or hub or router) near (setup or settings or configuration\$) and internet</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08 14:43
29	142	<pre>@ad<20000105 and (proxy or hub or router) near (setup or settings or configuration\$) and internet and client</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08 14:44
30	84	<pre>@ad<20000105 and (proxy or hub or router) near (setup or settings or configuration\$) and internet and client and web</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08 14:45
31	29	<pre>@ad<20000105 and (proxy or hub or router) near (setup or settings or configuration\$) and internet and client and web and password and settings</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08 14:50
32	0	@ad<20000105 and (proxy or hub or router) with web near setup	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 14:50
33	102305	@ad<20000105 and (proxy or hub or router) with clientnear setup	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08 14:53

34 2	@ad<20000105 and (proxy or hub or router) with client near setup	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 14:51
35 13846	<pre>@ad<20000105 and (proxy or hub or router) with (setup or settings or configur\$ or parameter\$)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08 14:57
36 367	<pre>@ad<20000105 and (proxy or hub or router) with (setup or settings or configur\$ or parameter\$) with client</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08 14:57
37 23	@ad<20000105 and (proxy or hub or router) with (setup or settings or configur\$ or parameter\$) with client and host near name and domain near name	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08 15:02
40 65	<pre>@ad<20000105 and (proxy or hub or router) with (setup or settings or configur\$ or parameter\$) near client</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08 15:08
41 124	@ad<20000105 and server and client and ip adj address and host adj name and domain adj name and password	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08 15:09
121	<pre>@ad<20000105 and server and client and ip adj address and host adj name and domain adj name and password and (setup or configur\$)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08 15:10
43 97	or switch) and client and ip adj address and host adj name and domain adj name and password and (setup or configur\$) with	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 15:30
141	(server or router or hub or switch) @ad<20000105 and server with (configure or setup or set-up) same ip adj address	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 15:31
45 33	@ad<20000105 and server with (configure or setup or set-up) same ip adj address and host adj name	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08 15:39
46 11	@ad<20000105 and soho\$ with router	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08 15:44
47 209	@ad<20000105 and router same password	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08 15:45
48 174	@ad<20000105 and router same password and internet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08 15:45
49 115	@ad<20000105 and router same password and internet and client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08 15:45

•		•		
50	52	@ad<20000105 and router same password and internet and client with configur\$	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 15:46
51	47	<pre>@ad<20000105 and router same password and internet and client with configur\$ and ip adj address</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 15:49
52	75	@ad<20000105 and password and internet and client with configur\$ and ip adj address and host adj name and domain adj name and server	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 16:52
53	1	@ad<20000105 and memory near removably and router	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08 16:54
54	2010	@ad<20000105 and memory near removably or detachable and server	USPĀT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 16:54
55	21	@ad<20000105 and memory near (removably or detachable) and server	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 16:54
56	576	@ad<20000105 and memory near (removable or detachable) and server	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 16:55
57	559	@ad<20000105 and (removable or detachable) adj memory and server	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08 16:55
58	542	@ad<20000105 and (removable) adj memory and server	USPĀT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 17:07
63	1	@ad<20000105 and (removable) near "semiconductor memory" and server	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 17:09
64	0	@ad<20000105 and (removable) near "semiconductor memory" and 709/203.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 17:09
65	0	@ad<20000105 and (removable) near "semiconductor memory" and 709/200.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 17:09
66	0	@ad<20000105 and (removable or portable or detachable) near "semiconductor memory" and 709/200.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/08 17:10
67	106	<pre>@ad<20000105 and (removable or portable or detachable) near "semiconductor memory"</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/08 17:10

68	1	@ad<20000105 and (removable or portable	USPAT;	2004/06/08
·		or detachable) near "semiconductor	US-PGPUB;	17:10
		memory" and server	EPO; JPO;	
		-	DERWENT;	
			IBM TDB	
69	79	@ad<20000105 and (removable or portable	USPAT;	2004/06/08
		or detachable) near "semiconductor	US-PGPUB;	17:10
		memory" and (data or settings)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
70	5	@ad<20000105 and (removable or portable	USPAT;	2004/06/08
. •		or detachable) near "semiconductor	US-PGPUB;	17:12
		memory" and (data or settings) same	EPO; JPO;	12
		network	DERWENT;	
		Incework	IBM TDB	
71	2	@ad<20000105 and (removable or	USPAT;	2004/06/08
<i>,</i> _	_	detachable) near "semiconductor memory"	US-PGPUB;	17:12
		and (data or settings) same network	EPO; JPO;	17.12
		and (data of settings) same network	DERWENT;	
			IBM TDB	
72	46	@ad<20000105 and (removable or	USPAT;	2004/06/08
12	46	C==		17:26
		detachable) near "semiconductor memory"	US-PGPUB;	17:26
	ļ		EPO; JPO;	
			DERWENT;	
		0 1.00000105 1 / 13	IBM_TDB	0004/06/00
73	0	@ad<20000105 and (removable or	USPAT;	2004/06/08
		detachable) near "semiconductor memory"	US-PGPUB;	17:14
		and portable adj memory	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
74	0	@ad<20000105 and (removable or	USPAT;	2004/06/08
		detachable) near "semiconductor memory"	US-PGPUB;	17:14
		and mobile adj memory	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
75	2755	@ad<20000105 and (removable or	USPAT;	2004/06/08
		detachable) near memory	US-PGPUB;	17:26
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
76	705	@ad<20000105 and (removable or	USPAT;	2004/06/08
		detachable) near memory and portable	US-PGPUB;	17:26
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
77	151	@ad<20000105 and (removable or	USPAT;	2004/06/08
		detachable) near memory and portable and	US-PGPUB;	17:26
		computer and server	EPO; JPO;	
		-	DERWENT;	
			IBM TDB	